## IN THE CLAIMS

The following is a listing of the claims in the application with claims 1, 2, and 5 shown as currently amended and with claim 4 shown as withdrawn.

## **LISTING OF CLAIMS:**

- 1. (currently amended) The fungicidal composition, which comprises:
  - (i) an agrochemical selected from the group consisting of methyl (2E)-3-methoxy-2-[2'-[[[3"-(1"'-fluoro-2"'-phenyl-1"'-ethenyloxy) phenyl]methylimino]oxy]methylphenyl]propenoate of Formula I); N-methyl(2E)-2-methoxyimino-2-[2'-[[[3"-(1"'-fluoro-2"'-phenyl-1"'-ethenyloxy)phenyl] methylimino]oxy]methylphenylacetamide of Formula (II); and a mixture thereof, and
  - (ii) an adjuvant for enhancing the fungicidal efficacy, selected from the group consisting of: a nonionic surfactant selected from the group consisting of polyoxethylene alkyl ether, polyoxyethylene alkyl ester,: a polyoxyethylene-based nonionic surfactant consisting of: a lipophilic moiety being an aliphatic alcohol, a fatty acid or a triacyl glyceride, containing at least 8 carbon atoms, and a hydrophilic moiety being a polyoxyethylene having 3 to 25 oxyethylene repeating units; ethoxylated caster oil; polyoxyethylene-polyoxypropylene block copolymer; and a mixture thereof; an anionic surfactant selected from the group consisting of sodium dioctyl sulfosuccinate, sodium dodecylbenzenesulfonate and a mixture thereof; and a fatty acid alkyl ester;

wherein said agrochemical and said adjuvant for enhancing the fungicidal efficacy being mixed in a ratio range from 1:0.5 to 1:20 by weight:

502382327.1

- (currently amended) The composition of claim 1, wherein the adjuvant for 2. enhancing the fungicidal efficacy is selected from the group consisting of a nonionic surfactant selected from the group consisting of a polyoxyethylenebased surfactants which has an aliphatic alcohol, a fatty acid or triacyl-glyceride as a lipophilic moiety containing at least 8 carbon atoms and a polyoxyethylene as a hydrophilic moiety having 3 to 25 ethylene repeating units" a polyoxyethylene-based nonionic surfactant consisting of a lipophilic moiety being an aliphatic alcohol, a fatty acid or a triacyl glyceride, containing at least 8 carbon atoms, and a hydrophilic moiety being a polyoxyethylene having 3 to 25 oxyethylene repeating units, a polyoxyethylene-polyoxypropylene block copolymer containing 2 to 40 oxyethylene and 25 to 45 oxypropylene repeating units and a mixture thereof; an anionic surfactant selected from the group consisting of sodium dioctyl sulfosuccinate, sodium dodecylbenzenesulfonate and a mixture thereof; and fatty acid alkyl esters having at least 14 carbon atoms.
- 3. (original) The composition of claim 1, which further comprises another agrochemical for preventing or treating plant diseases.
- 4. (Withdrawn) An adjuvant composition for enhancing the fungicidal efficacy of an agrochemical of compound of Formula (I) or (II) against plant diseases, which comprises:
  - (a) an effective amount of one or more adjuvant for enhancing the fungicidal efficacy selected from the group consisting of a polyoxyethylene-based nonionic surfactants which has an aliphatic alcohol, a fatty acid or triacyl glyceride as a lipophilic moiety containing at least 8 carbon atoms and a polyoxyehtylene as a hydrophilic moiety having 3 to 25 oxyethylene repeating units; a polyoxyethylene-polyoxypropylene block copolymer containing 2 to 40 oxyethylene and 25 to 45 oxypropylene repeating units and a mixture thereof; an anionic surfactant selected from the group consisting of sodium dioctyl sulfosuccinate, sodium dodecylbenzenesulfonate and a mixture thereof; and fatty acid alkyl esters having at least 14 carbon atoms;
  - (b) an emulsifier or dispersant; and.
  - (c) a carrier.

502382327.1

5. (currently amended) A method for using a fungicidal composition as defined in claim-1-claims 1 or 2 for preventing or treating a plant disease, in which said method comprises spraying the composition using said fungicidal composition at a concentration of 4 to 400 mg/l of the agrochemical or 50 to 2,000 mg/l of the adjuvant for enhancing the fungicidal efficacy to said plant.

502382327.1